



MÄRKLIN
mini-club

**The Smallest
Electric
Railroad
in the World**


E



MÄRKLIN
mini-club

the big leisure time success Unique

The first ever. Never before has such a fascinatingly small and exciting genuine replica of the real thing been seen. This smallest electric railroad in the world has a gauge measuring all of 6.5 mm (17/64"), its tank locomotive is about as long as a match. mini-club conjures up a magic world on your table, all in full view, within easy reach of your chair. You do not need a basement or a lot of floor space, you do not need to be a do-it-yourself expert. The mini-club is a true leisure time system which makes an exciting hobby into a portable leisure time game.



Precious dainties in MÄRKLIN Quality

Having a sense for miniature toys you will fully appreciate the mini-club. Each loco and each car model is of striking beauty and craftsman design. Every collector of beautiful things is drawn to these small gems. No matter whether you treat yourself a business friend or your father-in-law to a mini-club you will always make a hit. The mini-club has the alluring appeal of the neat and dainty. No picture or photograph can convey the charm of this new game. Why not make an early call on your mini-club dealer and take one of these fine models in your hand. But be forewarned: It will be love at first sight.

MÄRKLIN
mini-club

Here you can see the actual size of mini-club loco and coaches. And it runs, this miniature railroad made by master craftsmen, travelling round the track, very quietly and with the precision of a quality chronometer.

Green light for the new leisure time product by MÄRKLIN!

MÄRKLIN mini-club can be recognised by the club package with the characteristic teakwood pattern.



All you want to know at a glance



MÄRKLIN mini-club has Z gauge tracks 6.5 mm (17/64"). MÄRKLIN mini-club is d.c. powered. Everything bearing the name mini-club is of well proven MÄRKLIN quality and is as hardwearing, reliable and efficient as any other model railroad made by MÄRKLIN.




mini-club Railroad Sets

8900 Freight train (without power pack) · With tank locomotive 8800, beer car 8601, box car 8606, low-sided gondola 8610, tank car 8612, 5 straight track sections 8500, 8 curved track sections 8510, feeder track section 8590 and ramp 8974 · Train length 10"

8901 Express train (without power pack) · With diesel locomotive 8875, express coach 8720, express coach 8721, express dining car 8723, 5 straight track sections 8500, 8 curved track sections 8520, feeder track section 8590 and ramp 8974 · Train length 17 1/2"



mini-club Locomotives

8800 Tank locomotive · Model of the 0-6-0 series 89 locomotive · 3 driven axles · Reversing by remote control · Mat black metal body · Die-cast zinc frame · Automatic coupling at both ends · Length over buffers 1 7/8"



8864 Diesel locomotive · Model of the 0-6-0 German Federal Railways' locomotive, DB series 260 · 3 driven axles · Reversing by remote control · Red metal body · Silver-coloured roof · Die-cast zinc frame · Automatic coupling at both ends · Length over buffers 2"



8885 Express locomotive with tender · Model of the 4-6-2 German Federal Railways' locomotive, DB series 003 · 3 driven axles · Reversing by remote control · Three working headlights · Mat black plastic body · Die-cast zinc frame · Automatic coupling on tender · Length over buffers 4 3/4"



8875 Diesel locomotive · Model of the eight-wheel 4-4 German Federal Railways' locomotive, DB series 216 · All axles driven · Reversing by remote control · Three working headlights at each end, alternating with change of direction · Red and grey plastic body · Die-cast zinc frame · Automatic coupling at both ends · Length over buffers 3"



mini-club

8710 Express coach · 1st class · Model of a German Federal Railways' coach type A üm · Windows inset in plastic frames · 4⁷/₈" long


Express Coaches




8711 Express coach · 2nd class · Model of a German Federal Railways' coach, type B üm · Windows inset in plastic frames · 4⁷/₈" long



8712 Express baggage car · Model of the German Federal Railways' car, type D üm · Windows inset in plastic frames · 4⁷/₈" long



8713 Express dining car · Model of the German Federal Railways' car, type WR üm · 4⁷/₈" long




8720 Express coach · 1st class · Model of the German Federal Railways' coach, type A üm · Windows inset in plastic frames · 4⁷/₈" long



8721 Express coach · 2nd class · Model of the German Federal Railways' coach, type B üm · Windows inset in plastic frames · 4⁷/₈" long




8722 Express baggage car · Model of the German Federal Railways' car, type D üm · Windows inset in plastic frames · 4⁷/₈" long



8723 Express dining car · Model of the German Federal Railways' car, type WR üm · 4⁷/₈" long


mini-club Passenger Cars
mini-club Freight Cars



8700 Passenger car · Platform and entrance at each end · Windows with Cellon panes · 2³/₈" long



8701 Passenger car · Platform and entrance at each end · Windows with Cellon panes · 2³/₈" long




8600 Refrigerated car · Model of the German Federal Railways' car, type Ichqrs · 2¹/₈" long



8601 Beer car · Model of a private car of the Dortmund Union Brewery · 2¹/₈" long




8602 Beer car · Model of a private car of the "Spatenbräu", Munich · 2¹/₈" long




8605 Box car · Model of the German Federal Railways' type Gbrs · 2¹/₈" long

MARKLIN
mini-club



8606 Box car · Model of the German Federal Railways' type Ibbbs · 2¹/₈" long



8610 Low-sided gondola · 2¹/₈" long




8611 Tank car · SHELL · 1³/₈" long



8612 Tank car · ESSO · 1³/₈" long



8613 Tank car · ARAL · 1³/₈" long



8615 Container car · German Federal Railways' · 2¹/₈" long




8616 Container car · SEA-LAND · 2¹/₈" long


M'ARKLIN
mini-club




mini-club Track Sections



With a gauge of 6.5 mm (17/64") the overall width of the MÄRKLIN mini-club track sections is about 7/16" and the height 1/16". The silver-coloured solid section rails are arranged on a plastic sleeper strip. The rails are connected using the same rail joiners as are with the bigger models. An additional clip fixed to the sleeper strips increases the strength of the tracks.



1:1



This drawing shows the 3 MÄRKLIN mini-club track circles with their radii, track spacings and angles.

MÄRKLIN
mini-club



8500 Length 4 3/8"




8505 Length 8 3/8"




8506 Length 4 3/16"



8510 Radius 5 3/4" · 45°




8520 Radius 7 3/4" · 45°



8530 Radius 8 3/4" · 45°




8591 Radius 19 3/16" · 13°



8559

Crossing · Crossing angle 13° · Length of track sections 4 3/4"

8561




Pair of solenoid controlled points · Comprising one right-hand and one left-hand point both operated by double solenoid · Additional manual switching lever · Crossing angle 13° , radius of the branch track $19\frac{3}{16}$ " · Length of the straight track $4\frac{7}{16}$ "

8564




Pair of manual points · Comprising one right-hand and one left-hand point · Operated by hand lever · Crossing angle 13° · Radius of the branch track $19\frac{3}{16}$ " · Length of the straight track $4\frac{7}{16}$ "

8590




Feeder track section, straight · Fitted with suppressor · 2 terminals for connection to track power leads · Length $4\frac{3}{16}$ "

8597



Uncoupling track section · For releasing automatic couplings · Operated either by the built in electromagnets and remote control, or by hand lever · Length $4\frac{3}{16}$ "

8598




Insulating track section, straight · With terminals · The rail nearest the terminals is interrupted at the centre · Length $4\frac{3}{16}$ "

8599



Contact track section, straight · With terminals · The passing train actuates electrical switching operations · Length $4\frac{3}{16}$ "


MARKLIN
mini-club


6720 = 100 Volt for Japan

6727 = 115 Volt for USA

6731 = 220 Volt


D.C. Power pack · Output 12 VA · Power infinitely variable between 2 and 8 V d.c. · Pole-changing switch for selecting direction of running · Lighting voltage 10 V a.c. · Blue plastic case · Weight 2 lb 11 oz · Dimensions $4\frac{15}{16}$ " x $5\frac{5}{16}$ " x 3"




8945 Universal remote control switch with 2 single-pole switches and a change-over switch for various circuits · Operating voltage 10 V · Double-solenoid operation · Can be operated by a contact track section, from the control panel or by means of the additional hand lever · Width $1\frac{3}{16}$ " · Length $2\frac{3}{4}$ " · Height $\frac{5}{16}$ "



8946 Manual signal switch with 2 single-pole switches and a change-over switch, for controlling, e.g., the light change in signal 8939 and the track current · Hand switch lever · Width $1\frac{3}{16}$ " · Length $2\frac{3}{4}$ " · Height $\frac{5}{16}$ "




8939 Home signal · Light changes from red (stop) to green (proceed) · 2 bulbs · Operated by the universal remote control switch 8945 or by the manual signal switch 8946 · Height 1 $\frac{1}{8}$ "



8950 Light socket with lamp set and cable · For stations, buildings and the like

8953 Lamp set · With 10 V bulb · For use in socket 8950 and for lighting locomotives



8991 Bumper · For clipping on to tracks · Black · White buffer beam with red stripe · Length $\frac{5}{8}$ "



8974 Ramp · Made of plastic · Facilitates placing locomotives or cars on the track · Length 5 $\frac{1}{2}$ " · Height $\frac{3}{16}$ "

8951 Package with 10 turnout insulating links · Made of plastic · For isolating the rails electrically at points

8999 Track fixing nails · $\frac{1}{4}$ " long · Packs containing 100 nails

8987 Pair of motor brushes for the locomotives 8800 and 8864


8988 Pair of motor brushes for locomotive 8875

8989 Pair of motor brushes for locomotive 8885



8910 MÄRKLIN mini-club Toporama · The printed true-to-nature model railway landscape for an oval track with sidings · 4-colour print on paperlike plastic · Printed to show the tracks with indication of sections, roads, paths, lakes and outlines of houses in plan · Areas of flocked grass produce a relief effect · Size 1'9" x 4'1"

MÄRKLIN
mini-club



8919 MÄRKLIN mini-club track layout pattern · Pattern of a site for an oval track with sidings, printed in 4-colours on strong hardwearing material · The design of the landscape ensures an attractive model layout · Tracks, roads, paths, lakes and outlines of houses in plan are printed on · Size 1'2" x 3'4"




8920 MÄRKLIN mini-club Toporama—Assembled Layout · The Toporama 8910 with its tracks is permanently mounted on a wooden base and is ready for immediate operation · The houses, trees and other items illustrated are supplied in kit form · Rolling stock and power pack are not included



8929 MÄRKLIN mini-club track layout, fully assembled · The MÄRKLIN mini-club track layout 8919 with its tracks is permanently mounted on a wooden base and is ready for immediate operation · The houses, trees and other items illustrated are supplied in kit form · Rolling stock and power pack are not included




8960 Göppingen Station kit · Modern design · Space $9'' \times 4\frac{1}{2}''$ · Height $1\frac{3}{4}''$ · Arranged for fitting lamp set 8950



8961 Platform · Made up of 2 parts · Overall length $17''$ · Width $1\frac{1}{2}''$ · Height $1''$


MARKLIN
mini-club




8962 Dürnau Station kit · Multi-purpose building with annex and loading ramp · Space $2\frac{3}{4}'' \times 2''$ · Height $1\frac{1}{4}''$ · Arranged for fitting lamp set 8950



8963 Apartment house with penthouse kit · The two top sections can be used separately as bungalow or kiosk · Space $3\frac{3}{8}'' \times 3\frac{3}{8}''$ · Height $3\frac{3}{4}''$ · Arranged for fitting lamp set 8950



8964 House with garage kit · Space $3\frac{1}{2}'' \times 2\frac{3}{4}''$ · Height $1\frac{1}{8}''$ · Arranged for fitting lamp set 8950



M'ARKLIN
mini-club

The smallest railroad model in the world



sets new standards. A model railroad "in your hand luggage" has made its appearance. A space of 12" x 21" is enough to set up a fully working mini-club layout, even a tray will serve to produce the magic of its remote-controlled models. Amazing possibilities open up. In next to no time you can put your hobby kit away under the table, or bring it out from behind the cupboard, or hang it on the wall like a picture. You can snatch ten minutes



M'ARKLIN
mini-club

relaxation with it just as easily as you can play with it for hours in the evening—and you can do it in the living room, on the porch or at your friends. The handy portable model railroad has become a fact. This is the convenience aspect of the smallest railroad in the world. Fuss and bother is reduced to the minimum. mini-club gives lasting pleasure. Simply bring it out, plug it in and enjoy the mini-club.

MÄRKLIN
mini-club



**Your
mini-club
dealer:**

U. S. Distributors

BOYD MODELS

810 E. 14th ST.
LOS ANGELES
CALIFORNIA 90021

155 10/1

Gebr. MÄRKLIN & Cie. GmbH.
732 Göppingen

155 10-LA 0672 mo

Printed in Western Germany