



E o. P.

MÄRKLIN

**Shop window
displays 1972**

For dressing your shop windows we are offering this year **9 displays**; 3 HO model railway systems with metal tracks, 2 HO model railway systems with plastic tracks, 1 MINEX model railway system with HO metal tracks, 2 "mini-club" model railway systems, gauge 6.5 mm and 1 SPRINT car racing track system.

These displays are fully assembled and, as the illustration shows, they are supplied packed in a crate or carton. The rolling stock for these 9 displays as supplied **has already successfully completed a trial run for several hours**, and is invoiced on the usual terms. The cost of this rolling stock is not included in the price of the displays.

The displays are supplied carriage-paid, including packing. However, for displays which have to be packed in crates, the actual cost is charged and is credited in full when the crate is returned.

In making your selection and ordering, please note the following points:

Model railway displays

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. The displays are fully automatic, i. e. the solenoid controlled items are operated by contact tracks. 2. In the case of the displays ref. 0494, 0495, 0923 and 0925, very enjoyable participation of the operator is ensured, since all the signals, points etc. are connected additionally to the control panel 7072. 3. The displays do not have separate transformer boards. Because of the length of the cable connections, the transformers can be installed at some distance from the systems. The cable connections are at the back (see photograph of the displays). | <ol style="list-style-type: none"> 4. It is essential to state the required mains voltage (220 V, 110 V, etc.). 5. The displays are supplied without legs. 6. A track plan facilitates the setting up of the displays. 7. To enable your customers to duplicate the systems ref. 0494, 0495, 0923 and 0925, detailed track plans with parts lists are available. 8. A special display board points out this possibility. 9. The MÄRKLIN nameplate is supplied mounted on each display. |
|---|--|

Displays of the SPRINT car racing track

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. With the speed controllers engaged, racing proceeds fully automatically. 2. The two integral rectifiers make it possible to use the MÄRKLIN transformers for a. c. power supplies (16 VA or 30 VA). It is essential to state the required mains voltage (220 V, 110 V, etc.). | <ol style="list-style-type: none"> 3. The 4 SPRINT cars required for display 0721 are supplied and invoiced separately. 4. Transformers are not included. 5. This display is supplied without legs. |
|---|--|

So that we can keep punctually to delivery dates, we would request you to make your selection and place your order as soon as possible. Orders received by 31st May 1972 can certainly be executed. There is only a limited possibility of making deliveries against orders received by us between the 1st June and 31st July 1972. Orders received after the 31st July 1972 cannot be considered. Once again, with this year's models we very much hope that we can be of service to you.

GEBR. MÄRKLIN & CIE. G.M. BH. 732 GÖPPINGEN/GERMANY

Printed in Western Germany · Imprimé en Allemagne

176 10 - I 04 72 ru

HO layout ref. 0493
with metal tracks
comprising ref. 2975 and 5091

Overall dimensions: 150 cm × 80 cm

The fully extensible basic set ref. 2975 "Freight train with transformer" and the supplementary track set ref. 5091 provide an interesting model railway for your shop window. The small overall dimensions pose no problem in dressing your shop window. It is amazing what a wealth of new ideas this small display creates and how convincingly it succeeds in demonstrating model railways as a hobby. Even a hurried passer-by cannot escape the impact of this display.


The price of this layout includes the rolling stock shown and the 10 VA transformer.

When ordering, please consult the preface.

Execution of orders subject to availability

MÄRKLIN HO

Cable connections, at the left-hand side rear



at the front

HO layout ref. 0494

with metal tracks

Overall dimensions: 175 cm × 115 cm

The rolling stock (excluding transformer) is supplied. It is not included in the price of the display and will be invoiced at normal prices.

Fully automatic operation of two trains, landscaped HO layout. The three station tracks are linked by two three-way sets of points ref. 5214 and two pairs of points ref. 5202.

Numerous sidings with three sets of points, two track lock signals ref. 7042 and two uncoupling track sections ref. (5112/5113), in addition to fully automatic operation, offer plenty of scope too, for the operator. Thus, all solenoid controlled items are already wired to the control panel ref. 7072.

For this display, two 30 VA transformers are required.


If your customers wish to duplicate the layout, the detailed track plan ref. 0494 is available.

When ordering, please consult the preface.

Execution of orders subject to availability

MÄRKLIN HO

Cable connection, at the left-hand side rear



at the front

A fully automatic HO display with metal tracks, for two trains, with rising and falling gradients using MÄRKLIN plastic bridges and piers. The layout, comprising among others two pairs of curved points ref. 5140, two three-way points ref. 5214, several sidings, three signals (ref. 7040/7042/7188), four uncoupling track sections (ref. 5112/5113), a track crossing and fitted catenary system, not only results in a very pleasing shop window display, but induces the onlooker to build a duplicate of this display.

Fully automatic train operation; also operator control via fitted control panels ref. 7072 and of the slewing crane ref. 7051.


For each track loop, a separate transformer is required to feed the current both to the conductor rail and the catenary system. This means that only two 30 VA transformers are required.

For duplication of this interesting display by the customer, the detailed track plan ref. 0495 is available.

When ordering, please consult the preface.

Execution of orders subject to availability

Cable connections, at the left-hand side rear



at the front

HO layout ref. 0495

with metal tracks

Overall dimensions: 215 cm × 120 cm

The rolling stock (excluding transformer) is supplied. It is not included in the price of the display and will be invoiced at normal prices.

MÄRKLIN HO

HO layout ref. 0923 with plastic tracks

Overall dimensions: 200 cm × 100 cm

The rolling stock (excluding transformers) is supplied. It is not included in the price of the display and will be invoiced at normal prices.

The eye-catching, architecturally modern feature of this carefully equipped, landscaped HO display with plastic tracks, is the track loop resting on bridge piers.

This display is designed for fully automatic 3-train operation and includes three track loops with eight sets of points ref. 2161, two double slips ref. 2160, four signals (3 × ref. 7239/1 × ref. 7242), two uncoupling track sections ref. 2197 and catenary system with the small catenary mast ref. 7524, for two parallel track loops.

The clear division into a residential area, a station square and a industrial estate gives even the most hurried viewer a lasting impression of model railways as a hobby.

This display features reliable continuous operation. It also enables interesting operator control since all solenoid controlled items are wired to the control panels ref. 7072.

For this display, three 30 VA transformers are required.


For duplication by the customer, the detailed track plan ref. 0923 is available.

When ordering, please consult the preface.

Execution of orders subject to availability

M'ARKLIN HO

Cable connections, at the left-hand side rear



at the front

HO layout ref. 0925 with plastic rails

Overall dimensions: 215 cm × 120 cm

The rolling stock (excluding transformers) is supplied. It is not included in the price of the display and will be invoiced at normal prices.

This HO display ref. 0925 for fully automatic 2-train operation, has the same track layout, bridges and bridge approaches as the HO display ref. 0495 (see page 5), the difference being that here plastic tracks are used and no catenary system is installed.

Two 30 VA transformers are required for this display.


For duplication by the customer, the detailed track plan ref. 0925 is available.

When ordering, please consult the preface.

Execution of orders subject to availability

M'ARKLIN HO

Cable connections, at the left-hand side rear



at the front

MÄRKLIN mini-club display ref. 0855

"Toporama", gauge 6.5 mm,
scale 1:220

Overall dimensions: 125 cm × 48 cm

The rolling stock, including two d. c. control units, is supplied. It is not included in the price of the display and will be invoiced at normal prices.

Handwritten notes:

8800	=	24.50
8602		4.55
8605		4.20
8611		4.83
8613		4.55
8615		4.55
8604		4.55

8864	=	29.40
8700		13.65
8710		6.15
8720		6.93

Handwritten notes:

16.10
77.-
52.01
57.-

1202.-

The gauge is all of 6.5 mm in this smallest model railway in the world. Never before has such a fascinatingly small and delightfully true reproduction of the reality passed before your eyes.

The display includes: 2 track loops for two trains, six sidings, two pairs of solenoid controlled points ref. 8561, four pairs of manual points ref. 8564. In addition the following buildings are installed: station Göppingen ref. 8960, platform ref. 8961, two stations Dürnau ref. 8962, two apartment houses ref. 8963, three houses ref. 8964. The whole on a tufted Busch Toporama model railway landscape.


For operator use, the solenoid controlled points ref. 8561 are fully wired-up.

For duplication by the customer there are available mini-club Toporama landscapes, with or without tracks (ref. 8910 or 8920).

When ordering, please consult the preface.

Execution of orders subject to availability

MÄRKLIN
mini-club



MÄRKLIN mini-club display ref. 0856

"Track layout", gauge 6.5 mm,
scale 1:220

Overall dimensions: 100 cm × 35 cm

The attractive arrangement of the terrain on a four-colour printed pattern ensures a harmonious layout.


The display includes: one track loop for one train, four sidings, three pairs of manual points ref. 8564. In addition buildings installed comprise: one station, Dürnau ref. 8962, one apartment block ref. 8963 and one house ref. 8964.

For duplication by your customers the mini-club pattern landscape is available with or without tracks (ref. 8919 or 8929).

When ordering, please consult the preface.

Execution of orders subject to availability

MÄRKLIN
mini-club



MINEX layout ref. 0803


with HO metal tracks

Overall dimensions: 120 cm × 90 cm

The MINEX passenger train with steam locomotive travels through a romantic Wild West landscape of Messrs. Kibri. The decorative houses, the stage coach, the horses and the figures are from the range of Messrs. Hausser. For this display, a single 16 VA transformer suffices.

The rolling stock (excluding transformer) is supplied. It is not included in the price of the display and will be invoiced at normal prices.

Cable connections,
at the left hand
side rear ▼



at the front

MÄRKLIN MINEX

When ordering please
consult the preface.

Execution of orders
subject to availability

Car racing track display SPRINT ref. 0721


Overall dimensions: 305 cm × 110 cm

This SPRINT car racing track is operated fully automatically with four racing cars. The track bridge, the uphill and downhill stretches, the changes in direction make an eye-catching spectacle. For this display, 2 16 VA transformers are sufficient.

When ordering, please consult the preface.

4 SPRINT cars are invoiced separately.

MÄRKLIN *SPRINT*



Execution of orders subject to availability



...these display layouts offer many advantages for the dealer:

Excellent eye catching displays with an attractive appeal and good sales promotion.