

Marklin (75) mini-elub

Locomotives



8827 Freight locomotive

with separate tender. A model of the German Federal Railways 2-8-2 locomotive. Series 41, 4 driven axles. Reversing by remote control. Three working headlights. Mat black metal

body. Die-cast zinc frame. Automatic coupling on the tender.

43/8" (112 mm) long over buffers Light bulb 8953



8857 **Electric freight locomotive**

A model of the German Federal Railways' 0-6-6-0 locomotive Series 151. Both bogies driven. Reversing by

lights at each end, changing over when Switch for selecting operation from train reverses. Green plastic body. Windows inset in plastic frames. remote control. Three working head- 2 spring-loaded pantographs on roof.

overheadline or track contacts. Diecast zinc frame. Automatic coupling at each end. 31/2" (88 mm) long over buffers Light bulb 8953

Train set



8902 Express train

(with power supply unit). Consisting of diesel locomotive 8875, express coach 8720, express coach 8721,

express dining car 8723, 1 straight track section 8500, 4 curved track sections 8520, 6 curved track


sections 8521, feeder track section 8590 and ramp 8974. Length of train 171/2" (445 mm)

Marklin 75



mini-club

Cars



8621 Crane car

8728 TEE dome car

1st class. A model of the German Federal Railways' type ADm.

Windows inset in plastic frames. Observation dome of clear plastic. Length 43/4" (120 mm)



8604 Beer car

A model of a car belonging to the Kulmbach Reichelbräu Brewery. Length 21/8" (54 mm)




hook can be raised and lowered by hand crank. Underframe 13/8" (35 mm) moving the crane car) long. (Gondola 8610 is not included

in the price but is recommended for

Train set

8907 Freight train with power supply unit 110 volt (USA)



with rotating crane cab, movable

boom and boom support. Crane

With double end locomotive 8800, banana car 8606, gondola 8610,

track sections 8520, 6 curved track

1 straight track section 8500, 4 curved sections 8521, feeder track section 8590 and power supply unit for



110 volt. Length of train 61/4" (160 mm)

Marklin 75 mini-club



8190 Extension kit E

Contents: 10 straight track sections 8500. 1 pair of manually operated turnouts 8564, 2 curved track sections 8591 and instructions for extending the layout

8191 Extension kit E

Contents: 10 straight track sections 8500, 1 pair of solenoid-operated turnouts 8561, 2 curved track sections 8591, 1 turnout/signal control panel 7072, 1 distributor plate outs 8567, 1 turnout/signal control 7209 with leads, sleeves, plugs, etc. for wiring up. Instructions for extending the layout

8192 Double track kit T 1

Contents: 6 straight track sections 8500, 2 curved track sections 8521. 4 curved track sections 8530, 1 pair of solenoid-operated curved turnpanel 7072, 1 distributor plate 7209, with leads, sleeves, plugs, etc. for wiring up. Instructions for extending the lavout

8193 Station track kit T 2

Contents: 6 straight track sections 8500, 2 straight track sections 8504, 2 curved track sections 8521, 1 pair of solenoid-operated curved turnouts 8567, 1 turnout/signal control panel 7072, 1 distributor plate 7209, with leads, sleeves, plugs, etc. for wiring up. Instructions for extending the layout

8194 Sorting sidings kit T 3

Contents: 10 straight track sections 8500, 1 double slip 8560, 1 pair of solenoid-operated turnouts 8561, 4 buffer stops 8991, 1 turnout/signal control panel 7072, 1 distributor plate 7209, with leads, sleeves, plugs, etc. for wiring up. Instructions for extending the layout

The first stage in this construction program is a Gift Set S, containing a freight train with power supply unit S 8909/8907, or an express train without power supply unit S 8902.

Each of these gift sets includes track components to make up a track oval.

The first extension stage is extension kit E 8190 or extension kit E 8191.

From this point on, further extension leading up to the ideal mini-club SET layout is by means of the following kits: Sorting sidings kit T 3 8194 Station track kit T 2 8193 Double track kit T 1 8192

These three track kits can be added in any order.

Extension up to the ideal mini-club SET layout is very simple (see page 5). Construction is carried out in accordance with the instructions included in every kit.


The Toporama 8930 can be used as soon as you have extension kit E 8190 or E 8191. This Toporama is a highly recommended extra for the Märklin mini-club SET construction program.



Märklin mini-club Toporama

for the mini-club SET construction program leading to the ideal track layout. Realistic printed model railroad landscape. Multi-colored. With the track layout printed on. Can be used from stage E onwards (8190, 8191). The tufted grass-covered area produces an effect of relief. Size 191/2" x 47" (50 x 120 cm)


SET Construction Program



Marklin 75

75 mini-club

Track section



Crossing angle 13°. Radius 12³/4″ (323 mm). Remote control of the inside switches through double solenoids.

Supplementary manual switching lever. Length of the straight track section 43/8" (112.8 mm)



8947 Two pole reversing switch

(polarity reversing switch). Operating voltage 10 V. Double-solenoid operation. Switched by a switching track section, from a turnout/signal control panel, or by manual switching lever. Width 11/4" (30 mm). Length 23/4" (70 mm). Height 5/16" (8 mm)



8957 Lamp standard

Height $1^3/4''$ (46 mm). Base $^5/_{16}'' \times ^9/_{16}''$ (8 x 14 mm). Mast removable from base Light bulb 60 210



8958 Station lamp standard

Height $1^3/4''$ (46 mm). Base $5/16'' \times 9/16''$ (8 x 14 mm). Mast removable from base Light bulb 60 210





8959 Sidewalk lamp standard

Height 1" (25 mm). Base $\frac{5}{16}$ " x $\frac{9}{16}$ " (8 x 14 mm). Mast removable from base Light bulb 60 210



8968
Terrace house construction kit, with garage

White. Can be assembled in a variety of ways, with one or two storeys, or form part of a terrace. Base area 31/8" x

 $1^3/4''$ (81 x 45 mm). Height $1^1/8''$ (29 mm). Designed for the installation of lighting fitting 8950

8969 Terrace house construction kit

with garage. Similar to 8968, but with pale blue wall sections 0299 Brochure "From Kiosk to Skyscraper"



Illustrated instructions explaining the variety of ways of using construction kits 8968 and 8969

Märklin 75) sprist





1322 Sports car

A model of the supercharged BMW 2002. Front-wheel drive. Plastic body. Length 5" (12.6 cm). Spare tires for this car: 1505

1323 Sports car

Similar to 1322, but in different colours

6771 Märklin-Sprint power supply unit

for connecting to a 220 V A.C. supply. Output 14 V D.C. approx. Power output 10 Watt. Overload protection by means of automatic

current limiter. Plastic case. Weight 2 lb 10 oz (1.2 kg). Dimensions: 41/8" x 51/4" x 21/8" (125 x 135 x 55 mm)

Marklin



plus

9331

Window kit, including shutters

158 10 — L 01 75 ju. Printed in Western Germany